

No. 130 October 2022

Newsletter

Introduction

Welcome to October's **Binocular Sky** Newsletter.

At last the "observing season proper" has arrived in northern temperate latitudes; the sky is darkening reasonably early and we are starting to see more public stargazing evenings.

Autumn is "Milky Way season", and binoculars really come into their own here. If you have access to the little Galilean-type widefield binoculars, such as the Vixen 2.1x42, give them a try. I find them to be truly delightful on the Milky Way.

In the Solar System, the increasing darkness means that we have more opportunity for lunar occultations. **Vesta** is low in the south and the binocular planets (ice-giants **Uranus** and **Neptune**) are now both nicely placed for obervation.


It's always tricky predicting comets, but **C/2022 E3 (ZTF)** appears to be brightening mor erapidly than expected, and may become a binocular object by the end of the year; watch this space.

If you would like to receive the newsletter automatically each month, please complete and submit the <u>subscription form</u>. You can get "between the newsletters" alerts, etc. via and .

The Deep Sky

(<u>Hyperlinks</u> will take you to finder charts and more information on the objects.)

As the sky darkens at twilight, the Milky Way, always a pleasure to scan with binoculars of any size, arches overhead. In the north are NGC 457 (the



Page 2

Owl Cluster) and NGC 663 in Cassiopeia and the Perseus Double Cluster, from which you can easily find Stock 2 (the Muscleman Cluster). Kemble's Cascade and its "splash pool", NGC 1502 are also conveniently placed. To the East of them lie M34 in Perseus and the often-overlooked NGC 752 in Andromeda. More open Clusters are visible in the southern sky in the region of Ophiuchus. These include Melotte 186, NGC 6633 and

Open (also called 'Galactic') Clusters are loosely packed groups of stars that are gravitationally bound together; they may contain from a few dozen to a few thousand stars which recently formed in the galactic disk.

M11, The Wild Duck Cluster, all of which are easily visible in 50mm binoculars. Rising in the north-east are the <u>Auriga clusters</u>, <u>M36</u>, <u>M37</u> and <u>M38</u> and, later, <u>M35</u> in Gemini. While you are looking at M35, also see if you can identify two smaller open clusters, NGC 2158, which is half a degree to the SE, and the slightly more difficult IC 2157, which is a degree to the ESE. To the south of them, the <u>Pleiades</u> and <u>Hyades</u> make a welcome return to evening skies. Also look out for the nearby <u>NGC1647</u>.

In November, the Milky Way is overhead in the mid-to-late evening. This means that those objects (globular clusters and galaxies) that are outside our galaxy are not as well placed for observation as they are when the Milky Way is low in the sky. The bright M81 (Bode's Nebula) and M82 (The Cigar Galaxy), are still relatively easy to observe, even in a 50mm binocular, and their altitude is such that you are unlikely to get neck-strain when you do so with straight-through binoculars. M81 and M82 can be used as a good demonstration of averted vision, especially in larger binoculars: if you have them both in the same field of view, you may see that the core of M81 becomes more apparent if you look at M82. M51

(The Whirlpool) and M101 are becoming much more difficult owing to their lower altitudes; if you wish to see them this month, you should look as soon as the sky is dark.

Notable exceptions to the generalisation of galaxies being poorly placed on November evenings are some of those south of the galactic plane,

Galaxies are gravitationally bound "island universes" of hundreds of billions of stars at enormous distances. The light that we see from M31, for example, left that galaxy around the time our technology consisted of rocks, sticks and bones.

Binocular Sky Newsletter – October 2022

notably The Great Andromeda Galaxy, M31 and M33 (The Triangulum Galaxy). M31 in particular is very easily visible this month and is a naked eye object in moderately dark skies. It is large and bright enough to be able to withstand quite a lot of light pollution (making it available to urban observers). M33 has a low surface-brightness and benefits from lower magnification. This generally makes it easier to see in, say, a 10x50 binocular than in many "starter" telescopes. It is in November evenings that the Sculptor Galaxy, NGC 253, becomes observable before midnight, but you will need a good southern horizon for this.

Although the two Hercules globulars, M92 and the very impressive, and very easy to find, M13 are still observable, their altitude becomes less favourable as the month progresses. M15 and M2 are both better placed. This is also the best time of year to observe NGC 288 in the evening; as with NGC 253, a good southern horizon is essential.

Globular clusters are tightly-bound, and hence approximately spherical, clusters of tens, or even hundreds, of thousands of stars that orbit in a halo around almost all large galaxies that have been observed.

The easiest planetary nebula, M27 (the Dumbbell Nebula – also known as the Apple Core and the Diabolo) – is visible in the evening skies in even 30mm binoculars. The Helix Nebula, NGC 7293 is now about as well-placed as it gets for observation from Britain

Planetary Nebulae are short-lived (a few tens of thousands of years) masses of gas and plasma that result from the death of some stars. They have nothing to do with planets, but get their name from the fact that, in early telescopes, they had the appearance of giant ghostly planets.

before midnight; you'll need a decent southern horizon.

For interactive maps of Deep Sky Objects visible from 51°N, you can visit: https://binocularsky.com/map_select.php

Binocular Sky Newsletter – October 2022

| October Deep Sky Objects by Right Ascension | | | | | |
|--|-----|------|-----|----------|----------|
| • | - | | | RA | Dec |
| Object | Con | Туре | Mag | (hhmmss) | (ddmmss) |
| M31 (the Great Andromeda Galaxy) | And | gal | 4.3 | 004244 | 411608 |
| NGC 457 (the ET Cluster, the Owl Cluster) | Cas | ОС | 6.4 | 011932 | 581727 |
| M33 (NGC 598, the Pinwheel Galaxy) | Tri | gal | 6.2 | 013351 | 303929 |
| NGC 663 | Cas | ОС | 7.1 | 014601 | 611406 |
| NGC 752 | And | ОС | 5.7 | 015742 | 374700 |
| Stock 2 (the Muscleman Cluster) | Cas | ОС | 4.4 | 021434 | 591358 |
| NGC 884 and NGC 869 (the Perseus Double Cluste | Per | ос | 5.3 | 022107 | 570802 |
| M34 (NGC 1039) | Per | ос | 5.2 | 024204 | 424542 |
| M45 (the Pleiades) | Tau | ОС | 1.6 | 034729 | 240619 |
| Kemble's Cascade | Cam | ast | 9.0 | 035752 | 630711 |
| Melotte 25 (the Hyades) | Tau | ОС | 0.5 | 042650 | 154841 |
| M38 (NGC 1912) | Aur | ОС | 6.4 | 052842 | 355117 |
| M36 (NGC 1960) | Aur | ос | 6.0 | 053617 | 340826 |
| M37 (NGC 2099) | Aur | ос | 5.6 | 055218 | 323310 |
| M81 (NGC 3031) | UMa | gal | 7.8 | 095533 | 690401 |
| M82 (NGC 3034) | UMa | gal | 9.2 | 095554 | 694059 |
| M51 (NGC 5194, the Whirlpool Galaxy) | CVn | gal | 8.9 | 132952 | 471144 |
| M101 (NGC 5457) | UMa | gal | 7.7 | 140312 | 542057 |
| M13 (NGC 6205, the Great Hercules Globular Clust | Her | gc | 5.8 | 164141 | 362738 |
| M92 (NGC 6341) | Her | gc | 6.4 | 171707 | 430812 |
| Melotte 186 | Oph | ОС | 3.0 | 180030 | 025356 |
| NGC 6633 | Oph | ОС | 4.6 | 182715 | 063030 |
| M11 (NGC 6705, Wild Duck Cluster) | Sct | ОС | 5.8 | 185106 | -061600 |
| M27 (NGC 6853, the Dumbbell Nebula, the Apple | Vul | pn | 7.6 | 195936 | 224318 |
| M2 (NGC 7089) | Aqr | gc | 6.5 | 213327 | -004922 |
| NGC 7293 (the Helix Nebula) | Aqr | pn | 6.5 | 222938 | -205013 |

Variable Stars

A few sources I have seen note that Mira-type variable R Hya is near maximum; unfortunately, it is only above the horizon during daylight!

| Selection of Binocular Variables (mag < +7.5) | | | | |
|---|--------------|-------------------|------------------|--|
| Star | Mag Range | Period | Туре | |
| XY Lyr | 5.8-6.4 | Irreg | Irregular | |
| U Sge | 6.5-9.3 | 3.38d | Eclipsing binary | |
| U Vul | 6.7-7.5 | 7.99d | Cepheid | |
| SU Cyg | 6.4-7.2 | 3.84d | Cepheid | |
| U Del | 7.0-8.0 | ca. 110d | Irregular | |
| TW Peg | 7.0-9.2 | ca. 90d | Semi-regular | |
| U Cep | 6.8-9.2 | 2.5d (increasing) | Eclipsing binary | |
| Т Сер | 6.0-10.3 | 388d | Mira | |
| SS Cep | 6.7-7.8 | ca. 190d | Semi-regular | |
| RZ Cas | 6.2-7.7 | 1.195d | Eclipsing binary | |
| R Sct | 4.5-9.0 | 146d | RV Tau | |

Double Stars

| Binocular Double Stars for October | | | | | |
|------------------------------------|------------|-------------------|---------------------|--|--|
| Star | Magnitudes | Spectral Types | Separation (arcsec) | | |
| ζLyr | 4.3, 5.6 | A3, A3 | 44 | | |
| βLyr | 3.6, 6.7 | B8, B3 | 46 | | |
| ΟΣ525 Lyr | 6.0, 7.6 | G0, A0 | 45 | | |
| d Cep | 4.1, 6.1 | F5, A0 | 41 | | |
| γ Her | 3.7, 9.4 | F0, K | 43 | | |
| Σ2277 Her | 6,2, 8.9 | A0, K | 27 | | |
| 8 Lac | 5.7, 6.3 | B3, B5 | 22 | | |
| 56 And | 5.7, 5.9 | K0, K2 | 128 | | |
| ΣI 1 And | 7.1, 7.3 | G5, G5 | 47 | | |
| ψ-1 Psc | 5.3, 5.8 | A2, A0 | 30 | | |
| 14 Ari | 5.0, 7.9 | F0, F2 | 106 | | |
| 62 Eri | 5.4, 8.9 | B9, B8 | 67 | | |

The Solar System

The Moon

| October 03 | First Quarter |
|------------|---------------|
| October 09 | Full Moon |
| October 17 | Last Quarter |
| October 25 | New Moon |

Lunar Occultations


Data are for my location and may vary by several minutes for other UK locations. The phases are (\mathbf{D})isappearance, (\mathbf{R})eappearance and (\mathbf{Gr})aze; they are dark-limb events unless the Cusp Angle is negative.

| Lunar Occultation October 2022 50.9°N 1.8°W | | | | | | | |
|---|-----------|-------|-----------|------------------|-----------|----------------|---------------|
| Date | Time (UT) | Phase | Star | Spectral Type | Magnitude | Position Angle | Cusp Angle |
| Oct 11 | 03:38:38 | R | HIP 9569 | K0 | 6.5 | 244 | 79S |
| Oct 11 | 22:18:33 | R | omi Ari | В9 | 5.8 | 275 | 69N |
| Oct 12 | 00:12:13 | R | HIP 13069 | K0 | 6.7 | 212 | 48S |
| Oct 12 | 04:05:02 | R | HIP 13448 | F5 | 6.3 | 266 | 78N |
| Oct 13 | 04:15:31 | R | HIP17453 | A0 | 6.1 | 272 | 74N |
| Oct 17 | 00:06:59 | R | HIP 34735 | K0 | 6.7 | 230 | 43S |
| Oct 17 | 03:09:30 | R | HIP 35253 | G7 | 6.5 | 289 | 78N |
| Oct 17 | 04:16:18 | R | HIP 35494 | G8 | 7.0 | 337 | 30N |
| Oct 17 | 23:14:36 | R | 4 Cnc | A1 | 6.3 | 290 | 83N |

Asteroids


Asteroid 4 (Vesta) dims from mag +7.1 to +7.7 during the month. It lies between the **Helix Nebula (NGC 7293)** and the globular cluster **M30**.


(charts are "clicky")



The Binocular Planets

Uranus (mag +5.7) is still best observed after midnight all month, and **Neptune** (mag +7.8), well before midnight. Use ρ -3 and 53 Ari as guides to Uranus, and 20 Psc to locate Neptune.





Public Outreach & Talks

If you find yourself at any of these, do come and introduce yourself or give me a virtual "wave".

Dates are UT. Z indicates "Zoom"

| Oct 3 rd | Blandford TC | The Right Light at Night |
|----------------------|---|---|
| Oct 4 th | Vale of Allen PC | The Right Light at Night |
| Oct 5 th | Melbury Abbas PC | The Right Light at Night |
| Oct 6 th | Planet Shaftesbury | The Right Light at Night |
| Oct 10 th | Astronomy Ireland (Z) | Ten Ways the Universe Tries to Kill You |
| Oct 11 th | East Knoyle PC | The Right Light at Night |
| Oct 12 th | Tarrant Monkton and Launceston PC | The Right Light at Night |
| Oct 13 th | Kingston Deverill PC | The Right Light at Night |
| Oct 14 th | Hampshire Astronomy Group | Two Eyes are Better than One |
| Oct 19 th | Wimborne Green Festival | The Right Light at Night |
| Oct 22 nd | Penryn Community, Nature and Climate Conference | Responsible Outdoor Lighting Workshops |
| Oct 26 th | Marshwood Farm Camping | Stargazing Evening |
| Oct 27 th | Steeple Langford Parish Meeting | The Right Light at Night and Stargazing Evening |

Zoom/Webex Talks?

I regularly give talks, on *Binocular Astronomy* and numerous other astronomical topics. I'd be happy to do this – including locations anywhere in the world on Zoom or Webex – that is of interest.

If you would like a talk for your society/group, <u>Click here for current talks</u>. For schools/scouts/guides, etc., I am a STEM Ambassador so there will be no fee.

The **Binocular Sky Newsletter** will always be free to anyone who wants it, but if you would like to support it, there are a number of options:

- Purchase one of my books, <u>Binocular Astronomy</u> or <u>Discover the Night</u>
 Sky through Binoculars.
- Buy equipment or books through an affiliate link in the newsletter or on https://binocularsky.com
- Make a small <u>PayPal</u> donation to newsletter@binocularsky.com

Wishing you Clear Dark Skies,

Steve Tonkin

for

The Binocular Sky

Acknowledgements:

The charts in this newsletter were prepared with Guide v9.0 from http://projectpluto.com or Stellarium under GNU Public License, incorporating Milky Way panorama © Axel Mellinger

Variable star data based on The International Variable Star Index

Occultation data derived with Dave Herald's Occult

Disclosure: Links to Amazon or First Light Optics may be affiliate links

© 2022 Stephen Tonkin under a Creative Commons BY-NC-SA License

